

innotech Vertriebs GmbH  
93055 Regensburg

Date printed 16.12.2022, Revision 16.12.2022

Version 01

Page 1 / 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Innotech 350 Weiße Montagepaste Aerosol**  
**UFI: 0MTK-PV9F-130S-N6S1**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Lubricant

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

#### Company

innotech Vertriebs GmbH  
Junkersstrasse 16  
93055 Regensburg / GERMANY  
Phone +49(0)941 38 22 22 85  
Fax +49(0)941 38 22 22 87  
Homepage [www.inno-bike.com](http://www.inno-bike.com)  
E-mail [info@inno-bike.com](mailto:info@inno-bike.com)

#### Address enquiries to

#### Technical information

[info@innotech-r.de](mailto:info@innotech-r.de)

#### Safety Data Sheet

[sdb@chemiebuero.de](mailto:sdb@chemiebuero.de) (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

### 1.4 Emergency telephone number

#### Advisory body

Call NHS 111 or a doctor

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Aerosol 1: H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated.

### 2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.  
The determination of properties hazardous to health does not take the propellant or carrier material into account.

#### Hazard pictograms



#### Signal word

DANGER

#### Hazard statements

H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.

#### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C / 122°F.

### 2.3 Other hazards

#### Environmental hazards

Does not contain any PBT or vPvB substances.  
Contains no ingredients with endocrine-disrupting properties.

#### Other hazards

Further hazards were not determined with the current level of knowledge.

innotech Vertriebs GmbH  
93055 Regensburg

Date printed 16.12.2022, Revision 16.12.2022

Version 01

Page 2 / 10

### SECTION 3: Composition / Information on ingredients

#### 3.1 Substances

not applicable

#### 3.2 Mixtures

The product is a mixture.

Range [%]	Substance
25 - <30	Butane CAS: 106-97-8, EINECS/ELINCS: 203-448-7, EU-INDEX: 601-004-00-0, Reg-No.: 01-2119474691-32-XXXX GHS/CLP: Flam. Gas 1A: H220 - Press. Gas: H280
10 - <20	Propane CAS: 74-98-6, EINECS/ELINCS: 200-827-9, EU-INDEX: 601-003-00-5 GHS/CLP: Flam. Gas 1A: H220 - Press. Gas (Compressed gas): H280

#### Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.  
For full text of H-statements: see SECTION 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information

Change soaked clothing.

##### Inhalation

Ensure supply of fresh air.  
In the event of symptoms seek medical treatment.

##### Skin contact

When in contact with the skin, clean with soap and water.  
Consult a doctor if skin irritation persists.

##### Eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

##### Ingestion

Do not induce vomiting.  
In the event of symptoms seek medical treatment.

#### 4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions  
Nausea, vomiting.  
Irritant effects

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Carbon dioxide.  
Foam.  
Dry powder.

##### Extinguishing media that must not be used

Water.

#### 5.2 Special hazards arising from the substance or mixture

risk of formation of toxic pyrolysis products, carbon monoxide (CO), not combusted hydrocarbons  
Bursting aerosols can be forcibly projected from a fire.

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.  
Cool containers at risk with water spray jet.

innotech Vertriebs GmbH  
93055 Regensburg

Date printed 16.12.2022, Revision 16.12.2022

Version 01

Page 3 / 10

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from all sources of ignition.  
Ensure adequate ventilation.  
Use personal protective equipment (protective gloves, safety glasses, protective clothing).

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Take up mechanically.  
Take up residues with absorbent material (e.g. sand, sawdust, general purpose binder, diatomaceous earth).  
Dispose of absorbed material in accordance within the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use only in well-ventilated areas.  
Keep away from all sources of ignition - Refrain from smoking.  
Vapours can form an explosive mixture with air.  
Do not eat, drink, smoke or take drugs at work.  
Wash hands before breaks and after work.  
Use barrier skin cream.

### 7.2 Conditions for safe storage, including any incompatibilities

Provide solvent-resistant and impermeable floor.  
Do not store together with oxidizing agents.  
Keep container in a well-ventilated place.  
Protect from heat/overheating.  
Keep in a cool place, heat causes increase in pressure and risk of bursting.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

innotech Vertriebs GmbH  
93055 Regensburg

Date printed 16.12.2022, Revision 16.12.2022

Version 01

Page 4 / 10

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (GB)

Substance
Butane
CAS: 106-97-8, EINECS/ELINCS: 203-448-7, EU-INDEX: 601-004-00-0, Reg-No.: 01-2119474691-32-XXXX
Long-term exposure: 600 ppm, 1450 mg/m <sup>3</sup>
Short-term exposure (15-minute): 750 ppm, 1810 mg/m <sup>3</sup>

#### DNEL

Substance
Butane, CAS: 106-97-8
There are no DNEL values established for the substance.

#### PNEC

Substance
Butane, CAS: 106-97-8
There are no PNEC values established for the substance.

### 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
<b>Eye protection</b>	Safety glasses. (EN 166:2001)
<b>Hand protection</b>	>0.45 mm Nitrile rubber, >480 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
<b>Skin protection</b>	Protective clothing (EN 340)
<b>Other</b>	Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
<b>Respiratory protection</b>	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
<b>Thermal hazards</b>	See SECTION 7.
<b>Delimitation and monitoring of the environmental exposition</b>	See SECTION 6+7.

innotech Vertriebs GmbH  
93055 Regensburg

Date printed 16.12.2022, Revision 16.12.2022

Version 01

Page 5 / 10

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	aerosol
Color	white
Odor	characteristic
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	<-20
Flash point [°C]	<-20
Flammability (solid, gas) [°C]	not determined
Lower explosion limit	2.2 Vol.%
Upper explosion limit	19.9 Vol.%
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	
Density [g/cm <sup>3</sup> ]	1.2 (20 °C / 68,0 °F) (Liquid)
Relative density	not determined
Bulk density [kg/m <sup>3</sup> ]	not applicable
Solubility in water	virtually insoluble
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	not determined
Kinematic viscosity	>20.5 mm <sup>2</sup> /s (Liquid)
Relative vapour density	not applicable
Evaporation speed	not applicable
Melting point [°C]	not applicable
Auto-ignition temperature	not determined
Decomposition temperature [°C]	not applicable
Particle characteristics	not applicable

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Risk of bursting.

Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting.

### 10.4 Conditions to avoid

Strong heating.

innotech Vertriebs GmbH  
93055 Regensburg

Date printed 16.12.2022, Revision 16.12.2022

Version 01

Page 6 / 10

### 10.5 Incompatible materials

No information available.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute oral toxicity** Based on available data, the classification criteria are not met.

**Acute dermal toxicity** Based on available data, the classification criteria are not met.

**Acute inhalational toxicity** Based on available data, the classification criteria are not met.

Substance
Butane, CAS: 106-97-8
LC50, inhalative, Rat, 658 mg/L (IUCLID)
Propane, CAS: 74-98-6
LC50, inhalative, Rat, 658 mg/L (IUCLID)

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

Substance
Butane, CAS: 106-97-8
Eye, non-irritating

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Substance
Butane, CAS: 106-97-8
dermal, non-irritating

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

Substance
Butane, CAS: 106-97-8
inhalative, non-sensitizing
dermal, non-sensitizing

**Specific target organ toxicity — single exposure** Based on available data, the classification criteria are not met.

Substance
Butane, CAS: 106-97-8
inhalative, non-irritating

**Specific target organ toxicity — repeated exposure** Based on available data, the classification criteria are not met.

**Mutagenicity** Does not contain a relevant substance that meets the classification criteria.

**Reproduction toxicity** Does not contain a relevant substance that meets the classification criteria.

**Carcinogenicity** Does not contain a relevant substance that meets the classification criteria.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**General remarks**  
Toxicological data of complete product are not available.

innotech Vertriebs GmbH  
93055 Regensburg

Date printed 16.12.2022, Revision 16.12.2022

Version 01

Page 7 / 10

### 11.2 Information on other hazards

<b>Endocrine disrupting properties</b>	Contains no ingredients with endocrine-disrupting properties.
<b>Other information</b>	none

## SECTION 12: Ecological information

### 12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Butane, CAS: 106-97-8
LC50, (48h), Invertebrates, 14.22 - 69.43 mg/L

### 12.2 Persistence and degradability

<b>Behaviour in environment compartments</b>	not determined
<b>Behaviour in sewage plant</b>	not applicable
<b>Biological degradability</b>	not determined

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

### 12.7 Other adverse effects

Ecological data of complete product are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

Dispose of as hazardous waste.

#### Waste no. (recommended)

160504\* gases in pressure containers (including halons) containing dangerous substances

#### Contaminated packaging

Uncontaminated packaging may be taken for recycling.

#### Waste no. (recommended)

150110\* packaging containing residues of or contaminated by hazardous substances  
150104

innotech Vertriebs GmbH  
93055 Regensburg

Date printed 16.12.2022, Revision 16.12.2022

Version 01

Page 8 / 10

## SECTION 14: Transport information

### 14.1 UN number or ID number

Transport by land according to ADR/RID 1950

Inland navigation (ADN) 1950

Marine transport in accordance with IMDG 1950

Air transport in accordance with IATA 1950

### 14.2 UN proper shipping name

Transport by land according to ADR/RID Aerosols

- Classification Code 5F

- Label



- ADR LQ 1 I

- ADR 1.1.3.6 (8.6) Transport category (tunnel restriction code) 2 (D)

Inland navigation (ADN) Aerosols

- Classification Code 5F

- Label



Marine transport in accordance with IMDG Aerosols

- EMS F-D, S-U

- Label



- IMDG LQ 1 I

Air transport in accordance with IATA Aerosols, flammable

- Label



### 14.3 Transport hazard class(es)

Transport by land according to ADR/RID 2

Inland navigation (ADN) 2

Marine transport in accordance with IMDG 2.1

Air transport in accordance with IATA 2.1



innotech Vertriebs GmbH  
93055 Regensburg

Date printed 16.12.2022, Revision 16.12.2022

Version 01

Page 9 / 10

#### 14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

#### 14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014

**TRANSPORT-REGULATIONS** ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2022)

**NATIONAL REGULATIONS (GB):** EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.

- Observe employment restrictions for people Observe employment restrictions for young people.

- VOC (2010/75/CE) 40 %

#### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### 16.1 Hazard statements (SECTION 3)

H280 Contains gas under pressure; may explode if heated.  
H220 Extremely flammable gas.

innotech Vertriebs GmbH  
93055 Regensburg

Date printed 16.12.2022, Revision 16.12.2022

Version 01 Page 10 / 10

## 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
ATE = acute toxicity estimate  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging  
DMEL = Derived Minimum Effect Level  
DNEL = Derived No Effect Level  
EC50 = Median effective concentration  
ECB = European Chemicals Bureau  
EEC = European Economic Community  
EINECS = European Inventory of Existing Commercial Chemical Substances  
EL50 = Median effective loading  
ELINCS = European List of Notified Chemical Substances  
EmS = Emergency Schedules  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50 = Inhibition concentration, 50%  
IMDG = International Maritime Code for Dangerous Goods  
IUCLID = International Uniform Chemical Information Database  
IVIS = In vitro irritation score  
LC50 = Lethal concentration, 50%  
LD50 = Median lethal dose  
LC0 = lethal concentration, 0%  
LOAEL = lowest-observed-adverse-effect level  
LL50 = Median lethal loading  
LQ = Limited Quantities  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
NOAEL = No Observed Adverse Effect Level  
NOEC = No Observed Effect Concentration  
PBT = Persistent, Bioaccumulative and Toxic substance  
PNEC = Predicted No-Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
STP = Sewage Treatment Plant  
TLV@TWA = Threshold limit value – time-weighted average  
TLV@STEL = Threshold limit value – short-time exposure limit  
VOC = Volatile Organic Compounds  
vPvB = very Persistent and very Bioaccumulative

## 16.3 Other information

### Classification procedure

Aerosol 1: H222 Extremely flammable aerosol. (Bridging principle "Aerosols") H229  
Pressurised container: May burst if heated. (Bridging principle "Aerosols")

### Modified position

none

Copyright: Chemiebüro®